


**Claims**


1. A process for preparing compound of formula VII




VII

wherein

- 5 R is C<sub>1</sub>-C<sub>3</sub> alkyl,  
 Y is O(t-butyl) and  
 Ar is 2,3-dihydro-benzodioxin-5-yl, or phenyl optionally substituted with up to three substituents independently selected from halogen, methoxy, halomethyl, dihalomethyl and trihalomethyl,
- 10 said process comprising the step of treating compound of formula V with compound of formula VI in an aprotic solvent



wherein M is an alkali metal and Y is O(t-butyl), said process resulting in the production of less than 7% of a compound of formula X




X

as a bi-product of the reaction.

2. The process of Claim 1 wherein the solvent is THF.

5

3. A compound of Formula VII




VII

wherein

R is C<sub>1</sub>-C<sub>3</sub> alkyl,

- 10 Y is O(t-butyl) and


Ar is 2,3-dihydro-benzodioxin-5-yl, or phenyl optionally substituted with up to three substituents independently selected from halogen, methoxy, halomethyl, dihalomethyl and trihalomethyl, comprising less than 7% of a compound of Formula X



X

as an impurity.

4. The compound of Claim 3 produced by treating the compound of formula V with  
 5 a compound of formula VI in an aprotic solvent



VII

wherein M is an alkali metal.

5. The compound of Claim 4 wherein the aprotic solvent is THF.

10